



Patient ID SA00164974	Patient Name TEST, BIOTS N	Birth Date 1965-03-18	Sex F	Age 58
Order Number SA00164974	Client Order Number SA00164974	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Dec 2023 16:20		

Biotinidase, S

Biotinidase, S

5.5 U/L

MCR

Reference Value
3.5–13.8

Reviewed By

Marie Quade

MCR

Received: 04 Dec 2023 09:11

Reported: 04 Dec 2023 09:17

Interpretation

1 MCR

NEGATIVE In this sample, biotinidase activity is normal. These results indicate this individual is not affected with biotinidase deficiency.

ADDITIONAL INFORMATION

Colorimetric Enzyme Assay

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292