

Patient ID SA00144869	Patient Name BFCC, ABNORMAL	Birth Date 1980-01-01	Gender U	Age 41
Order Number SA00144869	Client Order Number SA00144869	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 May 2021 00:00		

Cell Count and Differential, BF

Fluid Type

Abdominal

MCR

Gross Appearance

Bloody

MCR

Total Nucleated Cells

22000 /mcL

1 MCR

REFERENCE VALUE

Synovial: <150 /mcL
Peritoneal: <500 /mcL
Pleural: <500 /mcL
Pericardial: <500 /mcL

Comment

Count approximate due to pellicle

MCR

Neutrophils

59 %

MCR

REFERENCE VALUE

Synovial: <25%
Peritoneal: <25%
Pleural: <25%
Pericardial: <25%

Lymphocytes

15 %

MCR

Reference Value
Synovial <75%

Monocytes/Macrophages

17 %

MCR

Reference Value
Synovial <70%

Eosinophils

2 %

MCR

REFERENCE VALUE

The reference range and other method performance specifications have not been established for this bodyfluid. The test result must be integrated into the clinical context for interpretation.

Basophils

1 %

MCR

REFERENCE VALUE

The reference range and other method performance specifications have not been established for this bodyfluid. The test result must be integrated into the clinical context for interpretation.

Other Cells

6 %

MCR

REFERENCE VALUE

The reference range and other method performance specifications have not been established for this bodyfluid. The test result must be integrated into the clinical context for interpretation.

Diff Comments

Cytology concurrently ordered; see separate report.

MCR

Other Cells Are:

Degenerative neutrophils

MCR

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292



Patient ID SA00144869	Patient Name BFCC, ABNORMAL	Birth Date 1980-01-01	Gender U	Age 41
Order Number SA00144869	Client Order Number SA00144869	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 May 2021 00:00		

Comment

MCR

Erythrophagocytosis present

Reviewed by:

MCR

Tech

Received: 02 Jun 2021 14:40

Reported: 02 Jun 2021 14:49

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292