



South Texas Reference Laboratory
7703 Floyd Curl Drive - 323C
San Antonio, TX 78229
(210) 567-4131 Fax: (210) 614-4250

Fungus Testing Laboratory
Nathan P. Wiederhold, Pharm. D.
Director

Patient Information:**Sample ID:****Name:****Client ID No:****Spec No:****Received Date:****Requesting Laboratory:**

Mayo Medical Laboratories

3050 Superior Drive, NW

ROCHESTER, MN 55901

(800) 533-1710

Report Date: 10/4/2023

Final Fungal Testing Report

Source: Bronchoalveolar lavage

Species ID Provided: Geotrichum klebahnii

Date Collected:

RESULTS OF ANTIFUNGAL SUSCEPTIBILITY TESTING:**DRUGS:****RESULTS:****INTERPRETATION:**

mcg/ml

Fluconazole (FLU)

64

No Established Breakpoints

Methodology: CLSI M27**Testing Performed by:** Victor Garcia (Antifungal Susceptibility)**Comment:**

Please note that interpretations for antifungal susceptibility testing are based on those published in the M27M44S supplement. These revised interpretations apply only to specific Candida species.

Nathan Wiederhold Pharm D

Electronically Signed 10/4/2023 1:13 PM

END OF REPORT (Final)

Medical Director: Wieslaw Furmaga, MD

Page: 1

CLIA No. 45D0660483

CAP No. 2143301

10/04/2023 2:19PM (GMT-05:00)