



|                                                |                                       |                                     |              |           |
|------------------------------------------------|---------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00135913                       | Patient Name<br>SAMPLEREPORT, FCYNB A | Birth Date<br>1996-05-05            | Gender<br>M  | Age<br>24 |
| Order Number<br>SA00135913                     | Client Order Number<br>SA00135913     | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                       | Collected<br>25 Aug 2020 14:00      |              |           |

## Cyanide, Blood

### Cyanide

Y082

5.0 mcg/mL

### Reporting Limit

Y082

0.050 mcg/mL

### ADDITIONAL INFORMATION

Synonym(s): CN; Potassium Cyanide; Hydrogen Cyanide

Normal: Up to 0.05 mcg/mL

Potentially toxic: 0.50 mcg/mL and greater

Potentially lethal: 2.0 mcg/mL and greater

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 26 Aug 2020 09:33

Reported: 26 Aug 2020 15:40

### Performing Site Legend

| Code | Laboratory | Address                               | Lab Director | CLIA Certificate |
|------|------------|---------------------------------------|--------------|------------------|
| Y082 | NMS Labs   | 200 Welsh Road, Horsham, PA 190442208 |              |                  |