

Patient ID SA00129442	Patient Name TESTINGRNV, OXU ABNORMAL	Birth Date 1993-09-23	Gender F	Age 26
Order Number SA00129442	Client Order Number SA00129442	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 02 Jun 2020 00:00		

Oxalate, 24 Hr, U

Oxalate, 24 Hr, U (mmol/24 hr)



0.04 mmol/24 h

Low

MCR

Reference Value
0.11–0.46

Collection Duration

24 h

MCR

Urine Volume

2000 mL

MCR

Oxalate, 24 Hr, U (mg/24 hr)



3.5 mg/24 h

Low

MCR

Reference Value
9.7–40.5

Received: 03 Jun 2020 08:27

Reported: 03 Jun 2020 08:27

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292