

Patient ID SA00128367	Patient Name SAMPLEREPORT, TEST	Birth Date 1984-12-23	Gender F	Age 35
Order Number SA00128367	Client Order Number SA00128367	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 16 Apr 2020 12:34		

Thiopurine Metabolites, B

6-Thioguanine Nucleotides

333 pmol/8x10(8)RBC

Increased possibility of response; optimal dosing.

SDL
Reference Value
235–450

6-Methylmercaptopurine

3456 pmol/8x10(8)RBC

Decreased risk of hepatotoxicity.

ADDITIONAL INFORMATION

Testing performed by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

1 SDL
Reference Value
≤ 5700

Received: 16 Apr 2020 12:34

Reported: 16 Apr 2020 17:45

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592