



Patient ID SA00173516	Patient Name VALIDATION, FMB	Birth Date 1980-01-01	Sex F	Age 44
Order Number SA00173516	Client Order Number SA00173516	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Dec 2024 12:00		

Fetomaternal Bleed,Flow Cytometry,B

Fetal-Maternal Bleed

96.5 mL

MCR

Reference Value
0–3.75

Rh Immune Globulin

7 dose

MCR

Remarks

1 MCR

15 ml of fetal red blood cells is equivalent to 30 ml of whole blood. The use of RhIG should be determined based on local protocols and standard blood bank Rh testing. Calculations used to determine the RhIG dose can be found in the Mayo Clinic Lab Test Catalog. Due to differential RBC densities, aliquoting into or out of a sample tube can adversely affect the results.

Received: 27 Dec 2024 12:02

Reported: 27 Dec 2024 12:13

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292