



Hepatitis D Virus RNA Detection and Quantification,
Real-Time RT-PCR, Serum

Patient ID C7028846-0006477	Patient Name HDVQU, ADDL2	Birth Date 1990-10-30	Sex M	Age 34
Order Number X100502601	Client Order Number X100502601	Ordering Physician UNKNOWN, PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 25 Jun 2025 10:00		

HDV RNA Detect / Quant, S



500 IU/mL

Abn

Result in log IU/mL is 2.70.

1 SDL

Reference Value
Undetected

ADDITIONAL INFORMATION

This laboratory-developed, real-time PCR assay has a quantification range of 20 to 2,000,000 IU/mL (1.30 log IU/mL to 6.30 log IU/mL).

Received: 26 Jun 2025 10:47

Reported: 26 Jun 2025 13:23

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592