



Patient ID SA00130529	Patient Name TESTINGRNV, HMNANORMAL	Birth Date 1945-07-07	Gender F	Age 75
Order Number SA00130529	Client Order Number SA00130529	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 07 Jul 2020 10:10		

Heavy Metals, Nails

Arsenic, Nails

0.5 mcg/g

SDL
Reference Value
<1.0

Specimen Source

Toe

1 SDL

Lead, Nails

2.0 mcg/g

SDL
Reference Value
<4.0

Specimen Source

Toe

1 SDL

Mercury, Nails

<1.0 mcg/g

SDL
Reference Value
<1.0

Specimen Source

Toe

1 SDL

Received: 08 Jul 2020 12:10

Reported: 08 Jul 2020 13:04

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592