

Patient ID SA00170496	Patient Name TESTING RNV, GIP NORMAL	Birth Date 1980-09-07	Sex F	Age 44
Order Number SA00170496	Client Order Number SA00170496	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 15 Sep 2024 00:00		

GI Pathogen Panel, PCR, F

Specimen Source

STOOL

MCR

Campylobacter species

Negative

MCR

Reference Value
Negative

C. difficile toxin

Negative

MCR

Reference Value
Negative

Plesiomonas shigelloides

Negative

MCR

Reference Value
Negative

Salmonella species

Negative

MCR

Reference Value
Negative

Vibrio species

Negative

MCR

Reference Value
Negative

Vibrio cholerae

Negative

MCR

Reference Value
Negative

Yersinia species

Negative

MCR

Reference Value
Negative

Enteroaggregative E. coli (EAEC)

Negative

MCR

Reference Value
Negative

Enteropathogenic E. coli (EPEC)

Negative

MCR

Reference Value
Negative

Enterotoxigenic E. coli (ETEC)

Negative

MCR

Reference Value
Negative

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292

Patient ID SA00170496	Patient Name TESTING RNV, GIP NORMAL	Birth Date 1980-09-07	Sex F	Age 44
Order Number SA00170496	Client Order Number SA00170496	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 15 Sep 2024 00:00		

Shiga toxin producing E. coli	MCR	Adenovirus F40/41	MCR
Negative	Reference Value Negative	Negative	Reference Value Negative
Shigella/Enteroinvasive E. coli	MCR	Astrovirus	MCR
Negative	Reference Value Negative	Negative	Reference Value Negative
Cryptosporidium species	MCR	Norovirus GI/GII	MCR
Negative	Reference Value Negative	Negative	Reference Value Negative
Cyclospora cayetanensis	MCR	Rotavirus	MCR
Negative	Reference Value Negative	Negative	Reference Value Negative
Entamoeba histolytica	MCR	Sapovirus	MCR
Negative	Reference Value Negative	Negative	Reference Value Negative
Giardia	MCR	ADDITIONAL INFORMATION This assay is performed using the FDA-cleared FilmArray GI Panel (BioFire Diagnostics, Inc.).	
Negative	Reference Value Negative		
		Received: 16 Sep 2024 11:41	Reported: 16 Sep 2024 12:44

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292