



Patient ID SA00076532	Patient Name SAMPLEREPORT, OPATX A	Birth Date 1966-09-09	Gender M	Age 49
Order Number SA00076532	Client Order Number SA00076532	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 Jun 2016 05:00		

Adulterants Survey, CoC, U

Creatinine, U

200.0 mg/dL

SDL

Oxidants

Negative

SDL

Reference Value
Cutoff: 200 mg/L

Specific Gravity

1.034

SDL

Comment

Normal

SDL

pH

7.0

SDL

Received: 01 Jul 2016 06:38

Reported: 01 Jul 2016 06:46

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592

Patient ID SA00076532	Patient Name SAMPLEREPORT, OPATX A	Birth Date 1966-09-09	Gender M	Age 49
Order Number SA00076532	Client Order Number SA00076532	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 Jun 2016 05:00		

Opiate Confirmation, CoC, U

Opiates Interpretation

Positive.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

Opiates Immunoassay Screen



Presumptive Positive ng/mL

Codeine-by LC-MS/MS

Negative ng/mL

Dihydrocodeine-by LC-MS/MS

Negative ng/mL

Hydrocodone-by LC-MS/MS

Negative ng/mL

Norhydrocodone-by LC-MS/MS

Negative ng/mL

1 SDL

SDL
Reference Value
Cutoff: 300

SDL
Reference Value
Cutoff: 25

SDL
Reference Value
Cutoff: 25

SDL
Reference Value
Cutoff: 25

SDL
Reference Value
Cutoff: 25

Hydromorphone-by LC-MS/MS

Negative ng/mL

Oxycodone-by LC-MS/MS

Negative ng/mL

Noroxycodone-by LC-MS/MS

Negative ng/mL

Oxymorphone-by LC-MS/MS

25 ng/mL

Noroxymorphone-by LC-MS/MS

Negative ng/mL

Naloxone-by LC-MS/MS

Negative ng/mL

Morphine-by LC-MS/MS

Negative ng/mL

Chain of Custody

Chain of custody documents are on file in the Mayo Toxicology Laboratory.

Received: 01 Jul 2016 06:38

Reported: 01 Jul 2016 06:52

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592