



1-800-533-1710

2-OH Glutaric Aciduria Gene Panel

2OHGP

PATIENT NAME TESTINGRNV, ATLAS				ORDER NUMBER L107000367
PATIENT ID SA00148214	DATE OF BIRTH 05/15/1989	AGE 32 Y	SEX Female	REQUESTED BY CLIENT CLIENT
COLLECTED 10/6/2021, 12:00 PM	RECEIVED 10/7/2021, 4:11 PM	REPORTED 10/15/2021, 10:28 AM		
The collected, received, and reported dates and times on the report are in the time zone of the performing location.				CLIENT ORDER NUMBER
7028846				SA00148214
MCL RochesterCampus				CLIENT MRN
Rochester MN 55901				SA00148214

TEST DESCRIPTION

Evaluation of 4 genes associated with 2-hydroxyglutaric aciduria

SPECIMEN

WB Whole Blood

RESULT SUMMARY

Pathogenic Variants Detected

RESULT

The following homozygous PATHOGENIC variant was detected:

D2HGDH (NM_152783.5), c.1012G>A, p.V338I (p.Val338Ile) Chr2(GRCh37):g.242690675

No additional reportable variants were detected within all other tested genes. See the Genes Analyzed section for a complete list of genes evaluated by this assay.

INTERPRETATION

D2HGDH c.1012G>A (p.V338I), PATHOGENIC

The homozygous c.1012G>A (p.V338I) missense variant in the D2HGDH gene (mim:609186) is an established pathogenic variant. Variants in the D2HGDH gene have been associated with autosomal recessive D-2-hydroxyglutaric aciduria. This result is supportive of a diagnosis of D-2-hydroxyglutaric aciduria for this individual. Clinical correlation is recommended.

This result should be interpreted in the context of clinical findings, family history, and other laboratory testing.

Consultation with a genetics professional is recommended for interpretation of this result and to determine whether familial testing may be of benefit to this family. Genetic testing for family members is available by ordering FMTT / Familial Mutation, Targeted Testing for the specific variant(s) detected. Please contact the laboratory at 1-800-533-1710 or the online test catalog at www.mayocliniclabs.com for information about FMTT.

RESOURCES

Disease specific information, including current therapies may be available at:

1. GeneReviews: <https://www.ncbi.nlm.nih.gov/books/NBK1116/>
2. <https://www.fda.gov/drugs>

Information regarding clinical trials, if available, can be found at the following sites:

1. ClinicalTrials.gov: <http://clinicaltrials.gov/ct2/search/advanced>

PATIENT NAME TESTINGRNV, ATLAS

21-44567



1-800-533-1710

2-OH Glutaric Aciduria Gene Panel

2OHGP

PATIENT NAME TESTINGRNV, ATLAS				ORDER NUMBER L107000367
PATIENT ID SA00148214	DATE OF BIRTH 05/15/1989	AGE 32 Y	SEX Female	REQUESTED BY CLIENT CLIENT
COLLECTED 10/6/2021, 12:00 PM	RECEIVED 10/7/2021, 4:11 PM	REPORTED 10/15/2021, 10:28 AM		
The collected, received, and reported dates and times on the report are in the time zone of the performing location. 7028846 MCL RochesterCampus Rochester MN 55901				CLIENT ORDER NUMBER SA00148214 CLIENT MRN SA00148214

METHOD

Next generation sequencing (NGS) and/or Sanger sequencing was performed to test for the presence of variants in coding regions and intron/exon boundaries of the genes analyzed, as well as select regions that have known pathogenic variants. The human genome reference GRCh37/hg19 build was used for sequence read alignment. At least 99% of the bases are covered at a read depth >30X. Sensitivity is estimated at >99% for single nucleotide variants, >94% for indels up to 39 base pairs, >95% for deletions up to 75 base pairs and insertions up to 47 base pairs. NGS and/or a PCR-based quantitative method was performed to test for the presence of deletions and duplications in the genes analyzed. See the Genes Analyzed field for a list of genes tested.

There may be regions of genes that cannot be effectively evaluated for sequencing or deletion and duplication analysis as a result of technical limitations of the assay, including regions of homology, high GC content, and repetitive sequences. Confirmation of select reportable variants was performed by alternate methodologies based on internal laboratory criteria. See www.mayocliniclabs.com 2OHGP for details regarding genes with regions not routinely covered.

GENES ANALYZED

D2HGDH, IDH2, L2HGDH, and SLC25A1

DISCLAIMER

Clinical Correlations

An online research opportunity called GenomeConnect (genomeconnect.org), a project of ClinGen, is available for the recipient of this genetic test. This patient registry collects de-identified genetic and health information to advance the knowledge of genetic variants. Mayo Clinic is a collaborator of ClinGen. This may not be applicable for all tests.

If testing was performed because of a clinically significant family history it is often useful to first test an affected family member. Detection of a reportable variant(s) in an affected family member would allow for more informative testing of at risk individuals.

To discuss the availability of further testing options or for assistance in the interpretation of these results, Mayo Clinic Laboratory genetic counselors can be contacted at 1-800-533-1710.

Technical Limitations

Next generation sequencing may not detect all types of genomic variants. In rare cases, false negative or false positive results may occur. The depth of coverage may be variable for some target regions, but assay performance below the minimum acceptable criteria or for failed regions will be noted. Given these limitations, negative results do not rule out the diagnosis of a genetic disorder. If a specific clinical disorder is suspected, evaluation by alternative methods can be considered.

There may be regions of genes that cannot be effectively evaluated for sequencing or deletion and duplication analysis as a result of technical limitations of the assay, including regions of homology, high GC content, and repetitive sequences. Confirmation of select reportable variants was performed by alternate methodologies based on internal

PATIENT NAME TESTINGRNV, ATLAS

21-44567



1-800-533-1710

2-OH Glutaric Aciduria Gene Panel

2OHGP

PATIENT NAME TESTINGRNV, ATLAS				ORDER NUMBER L107000367
PATIENT ID SA00148214	DATE OF BIRTH 05/15/1989	AGE 32 Y	SEX Female	REQUESTED BY CLIENT CLIENT
COLLECTED 10/6/2021, 12:00 PM	RECEIVED 10/7/2021, 4:11 PM	REPORTED 10/15/2021, 10:28 AM		
The collected, received, and reported dates and times on the report are in the time zone of the performing location.				CLIENT ORDER NUMBER SA00148214
7028846 MCL RochesterCampus Rochester MN 55901				CLIENT MRN SA00148214

laboratory criteria.

Additionally, low level mosaic variants may not be detected.

This test is not designed to differentiate between somatic and germline variants. If there is a possibility that any detected variant is somatic, additional testing may be necessary to clarify the significance of results.

Genes may be added or removed based on updated clinical relevance. Please refer to the Targeted Genes and Methodology Details for the 2-OH Glutaric Aciduria Gene Panel in the Special Instructions section of the Test Catalog for the most up to date list of genes included in this test.

Reclassification of Variants Policy

See www.mayocliniclabs.com 2OHGP for information regarding the laboratory's policy for reclassification of variants.

Variant Evaluation

Variant curation is performed using published ACMG-AMP recommendations as a guideline. Other gene-specific guidelines may also be considered. Variants classified as benign or likely benign are not reported.

Results from in silico evaluation tools may change over time and should be interpreted with caution and professional clinical judgment.

TEST CLASSIFICATION

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

RELEASED BY

Devin Oglesbee, Ph.D.

Code : MCR Laboratory : Mayo Clinic Laboratories - Rochester Main Campus
Lab Director : WILLIAM G MORICE, II MD, PhD CLIA Certificate : 24D0404292

Address : 200 FIRST STREET SW
ROCHESTER MN 55905

PATIENT NAME TESTINGRNV, ATLAS

21-44567