

Patient ID SA00614823	Patient Name SAMPLEREPORT, SYPHT ABNORMAL	Birth Date 1984-04-14	Gender F	Age 35
Order Number SA00614823	Client Order Number SA00614823	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 16 Dec 2019 07:07		

RPR Screen w/ Reflex, S
SDL

Nonreactive

Reference Value
Nonreactive

TPPA has been ordered to distinguish between infection with T. pallidum (syphilis) versus a falsely reactive treponemal antibody result.

For additional information on interpretation of the syphilis reverse algorithm and results, see:
https://www.mayocliniclabs.com/it-mmfiles/Syphilis_Serology_Algorithm.pdf

Received: 16 Dec 2019 11:06

Reported: 16 Dec 2019 11:11

Syphilis Ab, TP-PA, S
SDL

Abn

Positive

Reference Value
Negative

Treponemal antibodies detected, consistent with previously treated syphilis, potentially early syphilis infection or latent disease. Clinical correlation to distinguish between these scenarios is required.

Received: 16 Dec 2019 11:11

Reported: 16 Dec 2019 11:16

Syphilis Total Ab w/ Reflex, S
SDL

Abn

Reactive

Reference Value
Nonreactive

RPR has been ordered to help distinguish between infection with T. pallidum (syphilis) versus a falsely reactive treponemal antibody result.

For additional information on interpretation of the syphilis reverse algorithm and results, see:
https://www.mayocliniclabs.com/it-mmfiles/Syphilis_Serology_Algorithm.pdf

Received: 16 Dec 2019 11:06

Reported: 16 Dec 2019 11:10

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592

Report Status: Final