

|                                                                                   |                                           |                                             |                    |                  |
|-----------------------------------------------------------------------------------|-------------------------------------------|---------------------------------------------|--------------------|------------------|
| Patient ID<br><b>SA00105446</b>                                                   | Patient Name<br><b>SAMPLEREPORT, CATP</b> | Birth Date<br><b>1945-12-23</b>             | Gender<br><b>F</b> | Age<br><b>72</b> |
| Order Number<br><b>SA00105446</b>                                                 | Client Order Number<br><b>SA00105446</b>  | Ordering Physician<br><b>CLIENT, CLIENT</b> | Report Notes       |                  |
| Account Information<br><b>C7036729 Mayo Medical Laboratories - SI Unit Tes...</b> |                                           | Collected<br><b>23 Mar 2018 08:08</b>       |                    |                  |

## Catecholamine Fract, Free, P

### Norepinephrine

SDL

70 pg/mL

#### REFERENCE VALUE

70–750 (Supine)  
200–1700 (Standing)

#### SI Unit Conversions

##### Result

414 pmol/L

##### REFERENCE VALUE

414–4433 (Supine)  
1182–10048 (Standing)

### Epinephrine

SDL

60 pg/mL

#### REFERENCE VALUE

<111 (Supine)  
<141 (Standing)

#### SI Unit Conversions

##### Result

327 pmol/L

##### REFERENCE VALUE

≤606 (Supine)  
≤770 (Standing)

### Dopamine

1 SDL

26 pg/mL

#### REFERENCE VALUE

&lt;30 (no postural change)

#### ADDITIONAL INFORMATION

PLEASE NOTE: High/Low flagging is based on supine normal values.

#### SI Unit Conversions

##### Result

170 pmol/L

##### REFERENCE VALUE

&lt;196 (No postural change)

Received: 23 Mar 2018 11:25

Reported: 23 Mar 2018 11:48

### Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director                | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|-----------------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 | William G. Morice M.D. Ph.D | 24D1040592       |