



Patient ID SA00066575	Patient Name SAMPLEREPORT, SLFA_ABNORMAL	Birth Date 1984-05-05	Gender F	Age 29
Order Number SA00066575	Client Order Number SA00066575	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 28 Mar 2014 08:52		

Cryptococcus Ag Screen w/Titer, S



Positive

Abn

Reflex testing has been ordered to establish a cryptococcal antigen titer.

SDL

Reference Value
Negative

Received: 28 Mar 2014 09:01

Reported: 28 Mar 2014 09:05

Cryptococcus Ag Titer, LFA, S



1:10

Abn

SEMI-URGENT RESULT

The cryptococcal antigen detection method was changed from a latex agglutination (LA) test to a lateral flow immunoassay (LFA) test in May, 2014. End point titers are not interchangeable and do not correlate between the two methods.

Providers should transition to monitoring end-point titers by the LFA method. End-point titer values by the LA method will be reported alongside the LFA titer result for comparison until August, 2014, at no charge. After this date, only the LFA titer will be performed.

Latex Agglutination Titer: 1:2

Received: 28 Mar 2014 09:01

Reported: 28 Mar 2014 09:15

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592