



Patient ID SA00157784	Patient Name SAMPLEREPORT, HIBAG NORMAL	Birth Date 1981-08-06	Sex M	Age 41
Order Number SA00157784	Client Order Number SA00157784	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 02 Feb 2023 01:01		

Histoplasma/Blastomyces Ag, EIA, S

Histoplasma/Blastomyces Ag Result

SDL

Not Detected

Reference Value
Not Detected

No antigen from Histoplasma or Blastomyces detected. False negative results may occur depending on extent of disease, and/or site of infection. Repeat testing on a new specimen if clinically indicated.

Histoplasma/Blastomyces Ag Value

1 SDL

Not Detected ng/mL

Received: 02 Feb 2023 16:38

Reported: 02 Feb 2023 17:27

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592