



|                                                |                                   |                                     |              |           |
|------------------------------------------------|-----------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00150216                       | Patient Name<br>TESTINGRNA, RPB   | Birth Date<br>1993-01-01            | Sex<br>F     | Age<br>29 |
| Order Number<br>SA00150216                     | Client Order Number<br>SA00150216 | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                   | Collected<br>19 Jan 2022 14:03      |              |           |

## Respiratory Panel, PCR, V

### Specimen Source

Bronchoalveolar lavage (BAL)

MCR

### Adenovirus

Undetected

MCR

Reference Value  
Undetected

### Coronavirus 229E

Undetected

MCR

Reference Value  
Undetected

### Coronavirus HKU1

Undetected

MCR

Reference Value  
Undetected

### Coronavirus NL63

Undetected

MCR

Reference Value  
Undetected

### Coronavirus OC43

Undetected

MCR

Reference Value  
Undetected

### SARS Coronavirus-2

Undetected

MCR

Reference Value  
Undetected

SARS-CoV-2 RNA absent. This result does not rule out COVID-19 in the patient, as the sensitivity of the test depends on the timing of the specimen collection and the quality of the specimen. Result should be correlated with patient's history and clinical presentation.

### Human Metapneumovirus

Undetected

MCR

Reference Value  
Undetected

### Human Rhinovirus/ Enterovirus

Undetected

MCR

Reference Value  
Undetected

### Influenza A

Undetected

MCR

Reference Value  
Undetected

### Performing Site Legend

| Code | Laboratory                                       | Address                                  | Lab Director                | CLIA Certificate |
|------|--------------------------------------------------|------------------------------------------|-----------------------------|------------------|
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292       |

|                                                       |                                          |                                            |                 |                  |
|-------------------------------------------------------|------------------------------------------|--------------------------------------------|-----------------|------------------|
| Patient ID<br><b>SA00150216</b>                       | Patient Name<br><b>TESTINGRNV, RPB</b>   | Birth Date<br><b>1993-01-01</b>            | Sex<br><b>F</b> | Age<br><b>29</b> |
| Order Number<br><b>SA00150216</b>                     | Client Order Number<br><b>SA00150216</b> | Ordering Physician<br><b>CLIENT,CLIENT</b> | Report Notes    |                  |
| Account Information<br><b>C7028846 DLMP Rochester</b> |                                          | Collected<br><b>19 Jan 2022 14:03</b>      |                 |                  |

**Influenza B**

Undetected

MCR

Reference Value  
Undetected

**Bordetella pertussis**

Undetected

MCR

Reference Value  
Undetected

**Parainfluenza Virus 1**

Undetected

MCR

Reference Value  
Undetected

**Bordetella parapertussis**

Undetected

MCR

Reference Value  
Undetected

**Parainfluenza Virus 2**

Undetected

MCR

Reference Value  
Undetected

**Chlamydia pneumoniae**

Undetected

MCR

Reference Value  
Undetected

**Parainfluenza Virus 3**

Undetected

MCR

Reference Value  
Undetected

**Mycoplasma pneumoniae**

Undetected

MCR

Reference Value  
Undetected

**Parainfluenza Virus 4**

Undetected

MCR

Reference Value  
Undetected

**Interpretation**

1 MCR

This assay is not predicted to detect SARS-coronavirus (CoV), or MERS-CoV.

**ADDITIONAL INFORMATION**

This assay is performed using the FilmArray Respiratory Panel 2.1 (BioFire Diagnostics).

**Received:** 19 Jan 2022 14:05

**Reported:** 19 Jan 2022 14:13

**Respiratory Syncytial Virus**

Undetected

MCR

Reference Value  
Undetected

**Laboratory Notes**

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

| Code | Laboratory                                       | Address                                  | Lab Director                | CLIA Certificate |
|------|--------------------------------------------------|------------------------------------------|-----------------------------|------------------|
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292       |