



Patient ID SA00176225	Patient Name DIA, NORMAL	Birth Date 1985-11-25	Sex F	Age 39
Order Number SA00176225	Client Order Number SA00176225	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Jun 2025 08:00		

Diazepam and metabolites, S

Diazepam 500 ng/mL REFERENCE VALUE Cutoff: 10 Therapeutic range: Not Established	SDL	Oxazepam 100 ng/mL REFERENCE VALUE Cutoff: 10 As a downstream metabolite of diazepam, low concentrations may also be observed.	SDL
Nordiazepam 400 ng/mL REFERENCE VALUE Cutoff: 10 Low concentrations may also be observed as it is a downstream metabolite of chlordiazepoxide, clorazepate, diazepam, halazepam, and prazepam.	SDL	Temazepam 1500 ng/mL REFERENCE VALUE Cutoff: 10 As a downstream metabolite of diazepam, low concentrations may also be observed.	1 SDL
Diazepam and Nordiazepam 900 ng/mL Reference Value 100–2500	SDL	Received: 30 Jun 2025 15:02 Reported: 01 Jul 2025 07:17	

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592