



Patient ID C7028846-0005915	Patient Name TESTING, SORD	Birth Date 1991-05-15	Sex F	Age 32
Order Number X100451990	Client Order Number X100451990	Ordering Physician unknown	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 18 Jan 2024 06:00		

Sorbitol and Xylitol, QN, U

Interpretation

1 MCR

NEGATIVE In this sample, the excretions of sorbitol and xylitol were normal.

ADDITIONAL INFORMATION

Gas Chromatography-Mass Spectrometry (GC-MS) Stable Isotope Dilution Analysis

Sorbitol

34 mmol/mol Cr

MCR

Reference Value
<35

Xylitol

350 mmol/mol Cr

MCR

Reference Value
<351

Reviewed By

Amy Breitlow

MCR

Received: 18 Jan 2024 13:02

Reported: 18 Jan 2024 13:07

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292