

|                                                |                                     |                                     |              |           |
|------------------------------------------------|-------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00170392                       | Patient Name<br>SAMPLEREPORT, FSESG | Birth Date<br>2005-10-04            | Sex<br>M     | Age<br>18 |
| Order Number<br>SA00170392                     | Client Order Number<br>SA00170392   | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                     | Collected<br>07 Sep 2024 14:33      |              |           |

Sesame Seed IgG

Y165

2.0 mcg/mL

Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone

cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. \*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

Received: 10 Sep 2024 11:53

Reported: 10 Sep 2024 14:25

Performing Site Legend

| Code | Laboratory       | Address                                          | Lab Director | CLIA Certificate |
|------|------------------|--------------------------------------------------|--------------|------------------|
| Y165 | Eurofins Viracor | 18000 W. 99th Street, Suite 10, Lenexa, KS 66219 |              |                  |