

|                                                |                                       |                                     |              |           |
|------------------------------------------------|---------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA01274318                       | Patient Name<br>TESTINGRNV, HGUCRNORM | Birth Date<br>1977-02-23            | Sex<br>M     | Age<br>47 |
| Order Number<br>SA01274318                     | Client Order Number<br>SA01274318     | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                       | Collected<br>25 Aug 2024 00:00      |              |           |

Mercury/Creat Ratio, Random,U

Mercury/Creatinine Ratio, U

<2 mcg/g Cr

1 SDL

Reference Value  
<2

Creatinine, Random, U

116 mg/dL

MCR

Reference Value  
16–326

Received: 26 Aug 2024 12:57

Reported: 26 Aug 2024 15:05

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director         | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|----------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55905 | Nikola Baumann Ph.D. | 24D1040592       |
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus    | 200 First Street SW, Rochester, MN 55905   | Nikola Baumann Ph.D. | 24D0404292       |