



|                                                |                                         |                                     |              |           |
|------------------------------------------------|-----------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00156844                       | Patient Name<br>TESTINGRNV, EOXD NORMAL | Birth Date<br>1980-09-07            | Sex<br>M     | Age<br>42 |
| Order Number<br>SA00156844                     | Client Order Number<br>SA00156844       | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                         | Collected<br>15 Jan 2023 00:00      |              |           |

Ethylene Oxide, IgE

<0.10 kU/L

Class 0 (Negative <0.10)

Received: 17 Jan 2023 09:33

Reported: 17 Jan 2023 09:33

SDL  
Reference Value  
<0.70

Test Environment  
Standard Template

Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director                 | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|------------------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55905 | William G. Morice M.D. Ph.D. | 24D1040592       |