



Patient ID SA00105412	Patient Name TESTINGRNVCAI, ABNORMAL M	Birth Date 1989-06-01	Gender M	Age 28
Order Number SA00105412	Client Order Number SA00105412	Ordering Physician Client, Client	Report Notes	
Account Information C7036729 Mayo Medical Laboratories - SI Unit Tes...		Collected 22 Mar 2018 00:00		

Calcium, Ionized, S

1 MCR



6.28 mg/dL

Reference Value
4.57–5.43 mg/dL

High

Ionized calcium result has been adjusted to pH 7.40 to account for changes in specimen pH that may occur during transport. Ionized calcium concentration increases approximately 0.2 mg/dL per 0.1 pH unit decrease.

SI Unit Conversions

Result
1.57 mmol/L

Reference Value
1.14–1.36 mmol/L

Received: 23 Mar 2018 08:57

Reported: 23 Mar 2018 08:57

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292