



Patient ID SA00142227	Patient Name SAMPLEREPORT, FIGE NORMAL	Birth Date 1993-01-11	Sex M	Age 28
Order Number SA00142227	Client Order Number SA00142227	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Feb 2021 00:00		

Fig IgE

Fig IgE

<0.10 kU/L

Y165

Reference Value
<0.35

CLASS

0

The test method is the Phadia ImmunoCAP allergen-specific IgE system. CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10–0.34 kU/L= 0/1, Equivocal/Borderline; 0.35–0.69 kU/L=1, Low Positive; 0.70–3.49 kU/L=2, Moderate Positive; 3.50–17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00–99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive
*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Y165

Received: 11 Feb 2021 09:06

Reported: 12 Feb 2021 10:35

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Lenexa, KS 66219		