



Patient ID C7028845-0000206	Patient Name RRPRS, TESTING	Birth Date 1991-05-15	Gender F	Age 30
Order Number X100380846	Client Order Number X100380846	Ordering Physician unknown	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 17 Feb 2022 06:00		

RPR Screen w/ Reflex to Titer, S

MCF

Negative

Reference Value
Negative

TP-PA has been ordered to distinguish between infection with *T. pallidum* (syphilis) versus a falsely reactive treponemal antibody result.

For additional information on interpretation of the syphilis reverse algorithm and results, see:

https://www.mayocliniclabs.com/it-mmfiles/Syphilis_Serology_Algorithm.pdf

Received: 17 Feb 2022 15:15

Reported: 17 Feb 2022 15:22

Syphilis Ab, TP-PA, S

SDL

Negative

Reference Value
Negative

Results are inconclusive for syphilis infection. Results may indicate early infection or a false-positive screen. Clinical correlation is required to distinguish between these scenarios. Repeat testing in 2–4 weeks may be helpful.

For additional information on interpretation of the syphilis reverse algorithm and results, see:

https://www.mayocliniclabs.com/it-mmfiles/Syphilis_Serology_Algorithm.pdf

Received: 17 Feb 2022 15:15

Reported: 17 Feb 2022 15:34

Syphilis IgG w/ Reflex, EIA, S

MCF



Reactive

Reference Value
Nonreactive

RPR has been ordered to help distinguish between infection with *T. pallidum* (syphilis) versus a falsely reactive treponemal antibody result.

For additional information on interpretation of the syphilis reverse algorithm and results, see:

https://www.mayocliniclabs.com/it-mmfiles/Syphilis_Serology_Algorithm.pdf

Received: 17 Feb 2022 15:14

Reported: 17 Feb 2022 15:15

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Gretchen Johns MD	10D0269502
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592