



Patient ID SA00143856	Patient Name SAMPLEREPORT, TESTINGPATIENT	Birth Date 1987-12-28	Gender F	Age 33
Order Number SA00143856	Client Order Number SA00143856	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 05 Apr 2021 00:00		

Coag Factor IX Assay, P

Result Name	Value	Unit	Reference Value	Performing Site
  Coag Factor IX Assay, P	45	%	65–140	 MCR
Mild to moderate reduction in FIX activity may be acquired (e.g. vitamin K deficiency, liver disease, consumptive coagulopathy) or congenital (e.g. mild or moderate congenital hemophilia B (HB), or a carrier state for HB). If indicated, please call Mayo Clinic Laboratories at 800–533–1710 to determine if sufficient plasma specimen is available for additional 'add-on' testing.				

Received: 05 Apr 2021 12:30

Reported: 05 Apr 2021 12:30

Laboratory Notes

-  This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292