



Patient ID J0001454	Patient Name REPORT, RP_NORMAL	Birth Date 2000-07-25	Sex F	Age 24
Order Number J0001454	Client Order Number J0001454	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 25 Jul 2024 04:00		

Respiratory Panel, PCR, NP

Specimen Source

NASOPHARYNGEAL SWAB

MCF

Adenovirus

Undetected

MCF

Reference Value
Undetected

Coronavirus 229E

Undetected

MCF

Reference Value
Undetected

Coronavirus HKU1

Undetected

MCF

Reference Value
Undetected

Coronavirus NL63

Undetected

MCF

Reference Value
Undetected

Coronavirus OC43

Undetected

MCF

Reference Value
Undetected

SARS Coronavirus-2

Undetected

MCF

Reference Value
Undetected

SARS-CoV-2 RNA absent. This result does not rule out COVID-19 in the patient, as the sensitivity of the test depends on the timing of the specimen collection and the quality of the specimen. Result should be correlated with patient's history and clinical presentation.

Human Metapneumovirus

Undetected

MCF

Reference Value
Undetected

Human Rhinovirus/ Enterovirus

Undetected

MCF

Reference Value
Undetected

Influenza A

Undetected

MCF

Reference Value
Undetected

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502

Patient ID J0001454	Patient Name REPORT, RP_NORMAL	Birth Date 2000-07-25	Sex F	Age 24
Order Number J0001454	Client Order Number J0001454	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 25 Jul 2024 04:00		

Influenza B	MCF	Bordetella parapertussis	MCF
Undetected	Reference Value Undetected	Undetected	Reference Value Undetected
Parainfluenza Virus 1	MCF	Bordetella pertussis	MCF
Undetected	Reference Value Undetected	Undetected	Reference Value Undetected
Parainfluenza Virus 2	MCF	Chlamydia pneumoniae	MCF
Undetected	Reference Value Undetected	Undetected	Reference Value Undetected
Parainfluenza Virus 3	MCF	Mycoplasma pneumoniae	MCF
Undetected	Reference Value Undetected	Undetected	Reference Value Undetected
Parainfluenza Virus 4	MCF	Interpretation	MCF
Undetected	Reference Value Undetected	This assay is not predicted to detect SARS-coronavirus (CoV), or MERS-CoV.	
Respiratory Syncytial Virus	MCF	ADDITIONAL INFORMATION	
Undetected	Reference Value Undetected	This assay is performed using the FDA-Cleared FilmArray Respiratory Panel 2.1 (BioFire Diagnostics).	
		Received: 25 Jul 2024 07:08	Reported: 25 Jul 2024 07:37

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502