



|                                                |                                     |                                      |              |           |
|------------------------------------------------|-------------------------------------|--------------------------------------|--------------|-----------|
| Patient ID<br>SA00054476                       | Patient Name<br>SAMPLEREPORT, STFRP | Birth Date<br>1966-06-10             | Gender<br>F  | Age<br>46 |
| Order Number<br>SA00054476                     | Client Order Number<br>SA00054476   | Ordering Physician<br>CLIENT, CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                     | Collected<br>05 Mar 2013 13:00       |              |           |

## Shiga Toxin PCR, F

### Specimen Source

STOOL

MCR

### Result



Abn

Positive

Indicates the likely presence of Shiga toxin-producing Escherichia coli. **Semi-Urgent Result.**

MCR

Reference Value  
Not Applicable

### ADDITIONAL INFORMATION

Laboratory developed test.

Received: 11 Mar 2013 12:34

Reported: 11 Mar 2013 12:50

### Performing Site Legend

| Code | Laboratory                                       | Address                                  | Lab Director                | CLIA Certificate |
|------|--------------------------------------------------|------------------------------------------|-----------------------------|------------------|
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292       |