



Patient ID SA00147501	Patient Name TESTINGRNV, NIUCRNORMAL	Birth Date 1992-04-07	Gender F	Age 29
Order Number SA00147501	Client Order Number SA00147501	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 26 Aug 2021 00:00		

Nickel/Creat Ratio, Random, U

Nickel/Creat Ratio, U

1.8 mcg/g Cr

1 SDL

Reference Value
<4.3

Creatinine, Random, U

125 mg/dL

MCR

Reference Value
16–326

Received: 27 Aug 2021 13:24

Reported: 27 Aug 2021 13:29

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292