



Patient ID JA00001983	Patient Name VALIDATION, CA25 AB FEMALE	Birth Date 1995-09-02	Gender F	Age 21
Order Number JA00001983	Client Order Number JA00001983	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 13 Feb 2017 10:00		

Cancer Ag 125 (CA 125), S



46 U/mL

High

CA 125 results obtained through Mayo Medical Laboratories prior to 01/03/2017 are on average 17% higher than with this assay. Samples assayed with the current method will be available for 6 months for rebaselining if necessary. Contact Mayo Medical Laboratories at 1-800-533-1710 to request this service.

ADDITIONAL INFORMATION

The testing method is an electrochemiluminescence assay manufactured by Roche Diagnostics Inc. and performed on the Cobas system.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

MCF

Reference Value
<46

Received: 14 Feb 2017 16:32

Reported: 14 Feb 2017 16:33

Performing Site Legend

Code	Laboratory	Address
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224