

Patient ID SA00105399	Patient Name SAMPLEREPORT, OXYSU A	Birth Date 1969-09-09	Gender M	Age 48
Order Number SA00105399	Client Order Number SA00105399	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Mar 2018 11:00		

Oxycodone w/metabolite Conf, U

Oxycodone Interpretation

1 SDL

Positive.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

Oxycodone-by LC-MS/MS

25 ng/mL

SDL

Reference Value
Cutoff: 25

Noroxycodone-by LC-MS/MS

Negative ng/mL

SDL

Reference Value
Cutoff: 25

Oxymorphone-by LC-MS/MS

Negative ng/mL

SDL

Reference Value
Cutoff: 25

Noroxymorphone-by LC-MS/MS

Negative ng/mL

SDL

Reference Value
Cutoff: 25

Received: 22 Mar 2018 13:02

Reported: 22 Mar 2018 13:05

Oxycodone Screen, U

Oxycodone



Abn

SDL

Reference Value
Cutoff: 100

Presumptive Positive ng/mL

Drug confirmation to follow. Presumptive Positive means that the screening method is positive, but the test needs to be run by a confirmatory method before being finalized.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring or management of patients. It is not intended for use in employment-related testing.

Received: 22 Mar 2018 13:02

Reported: 22 Mar 2018 13:04

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592