

Patient ID SA00076473	Patient Name SAMPLEREPORT, OXYMU A	Birth Date 1966-09-09	Gender M	Age 49
Order Number SA00076473	Client Order Number SA00076473	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 27 Jun 2016 10:00		

Oxymorphone Confirmation, U

Oxymorphone Interpretation

1 SDL

Positive.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

Oxymorphone-by LC-MS/MS

25 ng/mL

SDL

Reference Value
Cutoff: 25

Noroxymorphone-by LC-MS/MS

Negative ng/mL

SDL

Reference Value
Cutoff: 25

Received: 28 Jun 2016 12:33

Reported: 29 Jun 2016 07:35

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592