



Patient ID 0000001	Patient Name SAMPLEREPORT, FVENE	Birth Date 1984-12-21	Sex M	Age 38
Order Number RI20230823A0389	Client Order Number RI20230823A0389	Ordering Physician	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 26 Sep 2023 19:40		

Venison IgE

Venison IgE

<0.35 kU/L

Y165

Reference Value
<0.35

Class

0

Y165

CLASS INTERPRETATION: <0.35 kU/L=0, Below Detection; 0.35–0.69 kU/L= 1, Low Positive; 0.70–3.49 kU/L= 2, Moderate Positive; 3.50–17.49 kU/L= 3, Positive; 17.50–49.99 kU/L= 4, Strong Positive; >49.99 kU/L= 5, Very Strong Positive *This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

Received: 29 Sep 2023 10:22

Reported: 29 Sep 2023 13:59

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Suite 10, Lenexa, KS 66219		