

Patient ID J0006163	Patient Name VALIDATION, PSAFT CHART	Birth Date 1965-05-11	Gender M	Age 55
Order Number J0006163	Client Order Number J0006163	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 13 May 2020 00:00		

PSA Total and Free, S

Total PSA


9.9 ng/mL
High

MCF
Reference Value
≤3.5

Free PSA

5.0 ng/mL

MCF

Free PSA/PSA Ratio

0.51 ratio

MCF

When Total PSA is in the range of 4.0–10.0 ng/mL:
Probability of Cancer

fPSA/tPSA ratio	50–59 years	60–69 years	≥ 70 years
≤ 0.10	49%	58%	65%
0.11–0.18	27%	34%	41%
0.19–0.25	18%	24%	30%
> 0.25	9%	12%	16%

ADDITIONAL INFORMATION

The testing method is an electrochemiluminescence assay manufactured by Roche Diagnostics Inc. and performed on the Modular or Cobas system.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Received: 14 May 2020 07:30

Reported: 14 May 2020 07:30

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Gretchen Johns MD	10D0269502