



Patient ID SA00152925	Patient Name TESTING, SORBU NORMAL	Birth Date 1980-06-01	Sex M	Age 42
Order Number SA00152925	Client Order Number SA00152925	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 01 Jun 2022 08:00		

Sorbitol and Mannitol, QN, U

Mannitol

96 mmol/mol Cr

MCR

Reference Value
<97

Reviewed By

Colleen Landon

1 MCR

ADDITIONAL INFORMATION

Gas Chromatography-Mass Spectrometry (GC-MS) Stable
Isotope Dilution Analysis

Sorbitol

34 mmol/mol Cr

MCR

Reference Value
<35

Received: 01 Jun 2022 09:23

Reported: 01 Jun 2022 09:40

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292