



Patient ID SA00150701	Patient Name TESTING, VITB3 -AB	Birth Date 1980-02-02	Sex F	Age 42
Order Number SA00150701	Client Order Number SA00150701	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 14 Feb 2022 10:00		

Vitamin B3 and Metabolites, P

Nicotinamide



<5.0 ng/mL

SDI

Reference Value
5.0–48.0

Nicotinuric Acid

1 SDI

<5.0 ng/mL

Reference Value
Cutoff: <5.0

ADDITIONAL INFORMATION

Testing performed by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

Received: 14 Feb 2022 12:44

Reported: 14 Feb 2022 13:29

Nicotinic Acid (Niacin)

5.3 ng/mL

SDI

Reference Value
Cutoff: <5.0

Likely non-fasting specimen or patient on niacin treatment at pharmacological doses.

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592