



Patient ID 321	Patient Name TESTRNV, IMPLEMENTATION	Birth Date 1968-02-19	Gender F	Age 53
Order Number X100366106	Client Order Number X100366106	Ordering Physician TESTING	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 24 Aug 2021 08:30		

HBs Antigen Screen Confirmation, S



Positive

Abn

HBsAg screen was confirmed by neutralization.

SDL

Reference Value
Negative

Received: 24 Aug 2021 13:35

Reported: 24 Aug 2021 13:45

Hepatitis B Past Exposure, S

HBs Antigen Scrn, S



Reactive

Abn

HBsAg screen is reactive.
S/CO ratio is ≥ 1 but ≤ 100 . Confirmatory test is required.

SDL

Reference Value
Negative

HBc Total Ab Scrn, S



Positive

Abn

If clinically indicated, testing for Hepatitis B Core IgM antibody is necessary to differentiate between acute and past HBV infection.

SDL

Reference Value
Negative

HBs Antibody Scrn, S

Positive

Patient is considered to be immune to infection with HBV.

REFERENCE VALUE

Unvaccinated: Negative

Vaccinated: Positive

SDL

HBs Antibody, Quantitative, S

13.0 mIU/mL

REFERENCE VALUE

Unvaccinated: < 5.0

Vaccinated: ≥ 12.0

SDL

Received: 24 Aug 2021 13:35

Reported: 24 Aug 2021 13:45

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592