



Patient ID 321	Patient Name IMPLEMENTATION, TEST T	Birth Date 1973-05-01	Sex F	Age 52
Order Number X100512947	Client Order Number X100512947	Ordering Physician TESTING	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 Oct 2025 05:00		

HPV-18/31/33/35, cfDNA, ddPCR, B

HPV-18 ddPCR Result



Detected

MCR

Reference Value
Not Detected

Abn

HPV-18 ddPCR Quant



1290 Fragments/mL

MCR

Result in log fragments/mL is 3.11.
Continue to monitor for HPV-18 cfDNA using
genotype-specific test code (DHPVB).

HPV-31 ddPCR Result

Not Detected

MCR

Reference Value
Not Detected

HPV-33 ddPCR Result

Not Detected

MCR

Reference Value
Not Detected

HPV-35 ddPCR Result

Not Detected

1 MCR

Reference Value
Not Detected

ADDITIONAL INFORMATION

The quantification range of this assay is 100 to 309,600
fragments/mL (2.00 log to 5.49 log fragments/mL).

Received: 30 Oct 2025 16:17

Reported: 30 Oct 2025 16:22

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292