



Patient ID SA00149241	Patient Name TESTING, TLUCR	Birth Date 1994-10-12	Gender M	Age 27
Order Number SA00149241	Client Order Number SA00149241	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 01 Nov 2021 08:00		

Thallium/Creat Ratio, Random, U

Thallium/Creat Ratio, U



208 mcg/g Cr

1 SDL

Reference Value
<2

Creatinine, Random, U

60 mg/dL

MCR

Reference Value
16–326

Received: 01 Nov 2021 13:26

Reported: 01 Nov 2021 13:39

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292