

Test Definition: AN3TC

Antineuronal Nuclear Antibody Type 3
(ANNA-3) Titer, Spinal Fluid

Reporting Title: ANNA-3 Titer, CSF

Performing Location: Rochester

Ordering Guidance:

Serum is preferred. Spinal fluid testing is particularly useful if interfering antibodies are present in the serum.

Specimen Requirements:

Only orderable as a reflex. For more information see:

- -DMC2 / Dementia, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid
- -ENC2 / Encephalopathy, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid
- -EPC2 / Epilepsy, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid
- -MDC2 / Movement Disorder, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid
- -MAC1 / Myelopathy, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid

Container/Tube: Sterile vial **Specimen Volume:** 4 mL

Specimen Type	Temperature	Time	Special Container
CSF	Refrigerated (preferred)	28 days	
	Frozen	28 days	
	Ambient	72 hours	

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
43442	ANNA-3 Titer, CSF	Alphanumeric	titer	94358-9

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

86256

Reference Values:

Only orderable as a reflex. For more information see:

- -DMC2 / Dementia, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid
- -ENC2 / Encephalopathy, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid
- -EPC2 / Epilepsy, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid
- -MDC2 / Movement Disorder, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid
- -MAC1 / Myelopathy, Autoimmune/Paraneoplastic Evaluation, Spinal Fluid



Test Definition: AN3TC

Antineuronal Nuclear Antibody Type 3 (ANNA-3) Titer, Spinal Fluid

<1:2

Neuron-restricted patterns of IgG staining that do not fulfill criteria for antineuronal nuclear antibody type 3 may be reported as "unclassified antineuronal IgG. "Complex patterns that include nonneuronal elements may be reported as "uninterpretable."