

Reporting Title: Diuretic Screen, Urine
Performing Location: Medtox Laboratories, Inc.

Specimen Requirements:
10 mL aliquot of random or spot urine collected without preservative in a plastic container. Send specimen refrigerated.

Specimen Type	Temperature	Time	Special Container
Urine	Refrigerated (preferred)	14 days	
	Frozen	180 days	
	Ambient	72 hours	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
Z2593	Diuretic Screen	Alphanumeric		75369-9
Z2594	Benzthiazide	Alphanumeric		3399-3
Z2595	Bumetanide	Alphanumeric		3409-0
Z2596	Chlorothiazide	Alphanumeric		9508-3
Z2597	Chlorthalidone	Alphanumeric		3478-5
Z2598	Furosemide	Alphanumeric		3660-8
Z2599	Hydrochlorothiazide	Alphanumeric		3676-4
Z2600	Hydroflumethiazide	Alphanumeric		40469-9
Z2601	Metolazone	Alphanumeric		12347-1

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:
No

CPT Code Information:
80377

Reference Values:
Qualitative diuretic screen includes: benzthiazide, bumetanide, chlorothiazide, chlorthalidone, furosemide, hydrochlorothiazide, hydroflumethiazide, and metolazone.