

Reporting Title: Allergic Bronchopulmonary Panel II
Performing Location: Eurofins Viracor

Specimen Requirements:

Specimen Type: Serum

Container/Tube: Red or SST

Specimen Volume: 1.5 mL

Collection Instructions: Draw blood in a plain, red-top tube(s) or serum gel tube(s). Spin down and send 1.5 mL of serum refrigerate in a plastic vial.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	28 days	
	Frozen	365 days	
	Ambient	7 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
Z3248	Total IgE	Alphanumeric		In Process
Z3249	Aspergillus fumigatus IgE	Alphanumeric		6025-1
Z3250	Class	Alphanumeric		102153-4
Z3251	Aspergillus fumigatus IgG	Alphanumeric		26954-8
Z3252	A. fumigatus Mix Gel Diffusion	Alphanumeric		23821-2

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

86331
86001
86003
82785

Reference Values:

Total IgE	
Age Related	Reference Range
1-11 months	0-12
1 year	0-15
2 year	1-29
3 year	4-35

4 year	2-33
5 year	8-56
6 year	3-95
7 year	2-88
8 year	5-71
9 year	3-88
10 year	7-110
11-14 year	7-111
15-19 year	6-96
20-30 year	4-59
31-50 year	5-79
51-80 year	3-48

Aspergillus fumigatus IgE
Reference Range: <0.35 kU/L

Aspergillus fumigatus IgG
Reference Range: <46 mcg/mL

Aspergillus fumigatus Mix Gel Diffusion
Reference Range: Negative