

Reporting Title: ADAMTS13 Inhibitor Bethesda Titer
Performing Location: Rochester

Ordering Guidance:

Specimen Requirements:
Only orderable as part of a profile. For more information see ADM13 / ADAMTS13 Activity and Inhibitor Profile, Plasma.

Patient Preparation: Fasting preferred
Collection Container/Tube: Light-blue top (3.2% sodium citrate)
Submission Container/Tube: Plastic vials
Specimen Volume: 2 mL in 2 plastic vials each containing 1 mL
Collection Instructions:

- 1. Specimen must be collected prior to replacement therapy.
- 2. For complete instructions, see [Coagulation Guidelines for Specimen Handling and Processing](#).
- 3. Centrifuge, transfer all plasma into a plastic vial, and centrifuge plasma again.
- 4. Aliquot plasma (1 mL per aliquot) into 2 separate plastic vials, leaving 0.25 mL in the bottom of centrifuged vial.
- 5. Freeze plasma immediately (no longer than 4 hours after collection) at -20 degrees C or, ideally, below -40 degrees C.

Additional Information:
1. Double-centrifuged specimen is critical for accurate results as platelet contamination may cause spurious results.
2. If priority specimen, mark request form, give reason, and request a call-back.
3. Each coagulation assay requested should have its own vial.

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen	14 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
61214	ADAMTS13 Inhibitor Bethesda Titer	Numeric		40824-5

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:
No

CPT Code Information:
85335

Reference Values:
Only orderable as part of a profile. For more information see ADM13 / ADAMTS13 Activity and Inhibitor Profile, Plasma.

<0.4 BU

