

Triglycerides, Serum

**Reporting Title:** Triglycerides, S **Performing Location:** Rochester

## **Specimen Requirements:**

Patient Preparation: Fasting is preferred but not required unless directed by the ordering provider.

**Collection Container/Tube:** 

Preferred: Serum gel

Acceptable: Red top

Specimen Volume: 0.5 mL

Collection Container/Tube: Plastic vial

**Collection Instructions:** 

1. Serum gel tubes should be centrifuged within 2 hours of collection.

2. Red-top tubes should be centrifuged and the serum aliquoted into a plastic vial within 2 hours of collection.

## Forms:

If not ordering electronically, complete, print, and send a Cardiovascular Test Request Form (T724) with the specimen.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	7 days	
	Frozen	90 days	

# Ask at Order Entry (AOE) Questions:

Test ID	Question ID	Description	Туре	Reportable
TRIG1	INTC1	Fasting (8 HR or more):	Answer List	Yes
		• Yes		
		• No		
		• Unknown		

# Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
TRIG	Triglycerides, S	Numeric	mg/dL	2571-8
INTC1	Fasting (8 HR or more)	Alphanumeric		87527-8

LOINC® and CPT codes are provided by the performing laboratory.

#### Supplemental Report:

No

**CPT Code Information:** 

84478



### **Reference Values:**

The National Lipid Association and the National Cholesterol Education Program have set the following guidelines for lipids in a context of cardiovascular risk for adults 18 years old and older: TRIGLYCERIDES Normal: <150 mg/dL Borderline High: 150-199 mg/dL High: 200-499 mg/dL Very High: > or =500 mg/dL

The Expert Panel on Integrated Guidelines for Cardiovascular Health and Risk Reduction in Children and Adolescents has set the following guidelines for lipids in a context of cardiovascular risk for children 2 to 17 years old: TRIGLYCERIDES 2-9 years: Acceptable: <75 mg/dL Borderline High: 75-99 mg/dL High: > or =100 mg/dL 10-17 years: Acceptable: <90 mg/dL Borderline High: 90-129 mg/dL High: > or =130 mg/dL Reference values have not been established for patients who are younger than 24 months of age. For SI unit Reference Values, see <u>https://www.mayocliniclabs.com/order-tests/si-unit-conversion.html</u>