

Reporting Title: Rheumatoid Arthritis Panel, S
Performing Location: Rochester

Ordering Guidance:
This test is the optimal first-line antibody panel for evaluating patients at-risk for rheumatoid arthritis.
The following testing may also be useful:
ENAE / Antibody to Extractable Nuclear Antigen Evaluation, Serum
ADNAR / DNA Double-Stranded (dsDNA) Antibodies with Reflex, IgG, Serum
NAIFA / Antinuclear Antibodies, HEp-2 Substrate, IgG, Serum
CTDC / Connective Tissue Diseases Cascade, Serum

Specimen Requirements:
Collection Container/Tube:
Preferred: Serum gel
Acceptable: Red top
Submission Container/Tube: Plastic vial
Specimen Volume: 2 mL
Collection Instructions: Centrifuge and aliquot serum into a plastic vial.

Forms:
[If not ordering electronically, complete, print, and send a Renal Diagnostics Test Request](#) (T830) with the specimen.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Frozen	14 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
CCP	Cyclic Citrullinated Peptide Ab, S	Numeric	U	33935-8
RHUT	Rheumatoid Factor, S	Numeric	IU/mL	11572-5

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:
No

Components:

Test Id	Reporting Name	CPT Units	CPT Code	Always Performed	Available Separately
CCP	Cyclic Citrullinated Peptide Ab, S	1	86200	Yes	Yes
RHUT	Rheumatoid Factor, S	1	86431	Yes	Yes

CPT Code Information:

86200
86431

Reference Values:

Cyclic Citrullinated Peptide Antibodies, IgG
<20.0 U (negative)
20.0-39.9 U (weak positive)
40.0-59.9 U (positive)
> or =60.0 U (strong positive)
Reference values apply to all ages.

Rheumatoid Factor
<15 IU/mL