

Test Definition: MFRGG

Marfan, Loeys-Dietz, and Aortopathy Gene Panel, Varies

Reporting Title: Marfan and Related Conditions Panel

Performing Location: Rochester

Ordering Guidance:

Customization of this panel and single gene analysis for any gene present on this panel are available. For more information see CGPH/ Custom Gene Panel, Hereditary, Next-Generation Sequencing, Varies.

Targeted testing for familial variants (also called site-specific or known mutations testing) is available for the genes on this panel. See FMTT / Familial Variant, Targeted Testing, Varies. To obtain more information about this testing option, call 800-533-1710.

Shipping Instructions:

Specimen preferred to arrive within 96 hours of collection.

Necessary Information:

<u>Prior Authorization</u> is available, **but not required**, for this test. If proceeding with the prior authorization process, submit the required form with the specimen.

Specimen Requirements:

Patient Preparation: A previous bone marrow transplant from an allogenic donor will interfere with testing. Call 800-533-1710 for instructions for testing patients who have received a bone marrow transplant.

Specimen Type: Whole blood

Container/Tube:

Preferred: Lavender top (EDTA) or yellow top (ACD)

Acceptable: Any anticoagulant Specimen Volume: 3 mL Collection Instructions:

- 1. Invert several times to mix blood.
- 2. Send whole blood specimen in original tube. **Do not aliquot. Specimen Stability Information:** Ambient (preferred)/Refrigerated

Forms:

- 1. **New York Clients-Informed consent is required.** Document on the request form or electronic order that a copy is on file. The following documents are available:
- -Informed Consent for Genetic Testing (T576)
- -Informed Consent for Genetic Testing (Spanish) (T826)
- 2. Connective Tissue/Cerebrovascular Disease Genetic Testing Patient Information
- 3. Marfan and Related Conditions Panel (MFRGG) Prior Authorization Ordering Instructions
- 4. If not ordering electronically, complete, print, and send a <u>Cardiovascular Test Request Form</u> (T724) with the specimen.

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

Result Codes:



Test Definition: MFRGG

Marfan, Loeys-Dietz, and Aortopathy Gene Panel, Varies

Result ID	Reporting Name	Туре	Unit	LOINC®
617380	Test Description	Alphanumeric		62364-5
617381	Specimen	Alphanumeric		31208-2
617382	Source	Alphanumeric		31208-2
617383	Result Summary	Alphanumeric		50397-9
617384	Result	Alphanumeric		82939-0
617385	Interpretation	Alphanumeric		69047-9
617386	Additional Results	Alphanumeric		82939-0
617387	Resources	Alphanumeric		99622-3
617388	Additional Information	Alphanumeric		48767-8
617389	Method	Alphanumeric		85069-3
617390	Genes Analyzed	Alphanumeric		48018-6
617391	Disclaimer	Alphanumeric		62364-5
617392	Released By	Alphanumeric		18771-6

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

Supplemental

CPT Code Information:

81410

Reference Values:

An interpretive report will be provided.