

Test Definition: MEASU

Measles Virus, Molecular Detection, PCR, Urine

Reporting Title: Measles Virus PCR, Urine **Performing Location:** Rochester

Ordering Guidance:

Polymerase chain reaction testing (this test) is recommended as the first-line test if a patient has symptoms of measles (ie, cough, fever, conjunctivitis, rash).

If serology has been performed and IgM-class antibodies against measles are detected (ROGM / <u>Measles (Rubeola) Virus</u> <u>Antibody, IgM and IgG, Serum</u>), this test should be ordered to confirm measles infection.

Shipping Instructions:

Specimens must be shipped at refrigerated temperature. Specimens received frozen will be rejected.

Specimen Requirements:

Supplies: Urine Tubes, 10 mL (T068) Container/Tube: Plastic, 10-mL urine tube Specimen Volume: 1 mL Collection Instructions:

1. Collect a random urine specimen.

2. No preservative

Specimen Type	Temperature	Time	Special Container	
Urine	Refrigerated	7 days		

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
617822	Measles Virus PCR, Urine	Alphanumeric		86577-4

LOINC[®] and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information: 87798

Reference Values:

Negative