

# **Test Definition: PSPT**

Phosphatidylserine/Prothrombin Antibody, IgG and IgM, Serum

Reporting Title: PS/PT Ab, IgG/IgM, S

Performing Location: Rochester

### **Ordering Guidance:**

Cardiolipin and beta-2 glycoprotein testing are the first-tier test options for most patients. Phosphatidylserine/prothrombin antibodies are considered part of the second-tier workup.

# **Specimen Requirements:**

Supplies: Sarstedt Aliquot Tube, 5 mL (T914)

**Collection Container/Tube:** 

**Preferred:** Serum gel **Acceptable:** Red top

Submission Container/Tube: Plastic vial

Specimen Volume: 0.5 mL

**Collection Instructions:** Centrifuge and aliquot serum into a plastic vial.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	21 days	
	Frozen	21 days	

#### **Result Codes:**

Result ID	Reporting Name	Туре	Unit	LOINC®
PSPTM	PS/PT Ab, IgM, S	Numeric	U	85358-0
PSPTG	PS/PT Ab, IgG, S	Numeric	U	85359-8

LOINC® and CPT codes are provided by the performing laboratory.

#### **Supplemental Report:**

No

## **Components:**

Test Id	Reporting Name	CPT Units	CPT Code	Always Performed	Available Separately
PSPTG	PS/PT Ab, IgG, S	1	86148	Yes	Yes
PSPTM	PS/PT Ab, IgM, S	1	86148	Yes	Yes

#### **CPT Code Information:**

86148 x 2

#### **Reference Values:**

Negative < or =30.0 U



# **Test Definition: PSPT**

Phosphatidylserine/Prothrombin Antibody, IgG and IgM, Serum

Borderline 30.1-40.0 U Positive > or =40.1 U