

Test Definition: F8IS

Coagulation Factor VIII Inhibitor Screen, Plasma

Reporting Title: Coag Factor VIII Assay Inhib Scrn,P **Performing Location:** Rochester

Specimen Requirements:

Only orderable as a reflex. For more information see: 8INHE / Factor VIII Inhibitor Evaluation, Plasma ALUPP / Lupus Anticoagulant Profile, Plasma ALBLD / Bleeding Diathesis Profile, Limited, Plasma APROL / Prolonged Clot Time Profile, Plasma AVWPR / von Willebrand Disease Profile, Plasma

For more information see <u>Coagulation Guidelines for Specimen Handling and Processing</u>.

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen	14 days	

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
7289	Coag Factor VIII Assay Inhib Scrn,P	Alphanumeric		3206-0

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

85335

Reference Values:

Only orderable as a reflex. For more information see: 8INHE / Factor VIII Inhibitor Evaluation, Plasma ALUPP / Lupus Anticoagulant Profile, Plasma ALBLD / Bleeding Diathesis Profile, Limited, Plasma APROL / Prolonged Clot Time Profile, Plasma AVWPR / von Willebrand Disease Profile, Plasma

Negative