

Reporting Title: Hypersensitivity Pneumonitis Panel
Performing Location: Eurofins Viracor

Specimen Requirements:

Container/Tube:

Preferred: Red top

Acceptable: Serum gel

Collection Instructions: Draw blood in a plain, red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 0.6 mL of serum refrigerated in a plastic vial.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	28 days	
	Frozen	28 days	
	Ambient	7 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
Z3166	Alternaria tenuis/alternata IgG	Alphanumeric		26951-4
Z3167	Aspergillus fumigatus IgG	Alphanumeric		26954-8
Z3168	Aureobasidium pullulans IgG	Alphanumeric		26955-5
Z3169	Micropolyspora faeni IgG	Alphanumeric		26948-0
Z3170	Penicillium Chrysogenum IgG	Alphanumeric		26957-1
Z3171	Phoma betae IgG	Alphanumeric		35551-1
Z3173	Trichoderma viride IgG	Alphanumeric		49687-7
Z6124	Laceyella sacchari IgG	Alphanumeric		Not Provided

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

86001 x 8

Reference Values:

Alternaria tenuis/alternata IgG	<12.0 mcg/mL
Aspergillus fumigatus IgG	<46.0 mcg/mL
Aureobasidium pullulans IgG	<18.0 mcg/mL
Laceyella sacchari IgG	<25.0 mcg/mL
Micropolyspora faeni IgG	<5.0 mcg/mL
Penicillium Chrysogenum/notatum IgG	<22.0 mcg/mL

Phoma betae IgG	<8.0 mcg/mL
Trchoderma viride IgG	<10.0 mcg/mL

Antibody levels greater than the reference range indicate that the patient has been immunologically sensitized to the antigen. The significance of elevated IgG depends on the nature of the antigen and the patient's clinical history. The test method was the Phadia ImmunoCAP.